

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6468	inhibit\$3 with component with (method event interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 12:00
L2	2441	inhibit\$3 with component with (method event interface)	US-PGPUB	OR	ON	2006/04/14 12:00
L3	12	2 and (select\$3 with list with (method event interface))	US-PGPUB	OR	ON	2006/04/14 12:01
S1	4	("5555369" "5860070").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 15:54
S2	1278	component with associated with (methods events interface) with defin\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 16:01
S3	176	S2 and gui	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 16:01
S4	114	S3 and (select\$3 with component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 16:01
S5	74	S3 and (select\$3 with component with user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 16:03
S6	14	(select\$3 with component with user with recogniz\$4 with (method event))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 16:05

EAST Search History

S7	51	(component near2 (event method)) with display\$3 with list\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 16:09
S8	155	((customiz\$5 list\$3) with component with behavior)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 16:09
S9	3	S8 and (add\$3 and remov\$3) with behavior	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 16:10
S10	42	S8 and (add\$3 remov\$3) with behavior	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 16:17
S11	829	(creat\$3 with custom\$7 near2 component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 16:17
S12	312	S11 and (list\$3 near2 (behavior interface method event))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 16:18
S13	96	S11 and (display\$3 with (list\$3 near2 (behavior interface method event)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 17:35
S14	8891	component adj interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 17:25

EAST Search History

S15	944	(component adj interface).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 17:25
S16	27	defin\$5 with (component adj interface).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 17:26
S17	557	(component near interface).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 17:26
S18	65	S17 and gui	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 17:29
S19	987	S14 and (user with (select\$3 choos\$3 assign\$3) with interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 17:29
S20	604	S14 and (user near2 (select\$3 choos\$3 assign\$3) with interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 17:29
S21	254	S20 and gui	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 17:29
S22	71	S21 and (permit\$4 with interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 17:31

EAST Search History

S23	180	S14 and (customiz\$5 near2 component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 17:31
S24	45	S14 and (customiz\$5 near2 component) with user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 17:31
S25	97	S15 and (component near2 (properties events methods))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 17:36
S26	14	S15 and (component near2 (properties events methods)) with select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 17:36
S27	116	S14 and (component near2 (properties events methods)) with select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 17:57
S28	49	((user\$1defined (user adj defined) with component) and (component with list\$3 with events))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 17:47
S29	17	(user with customiz\$5 with components) and (user with select\$3 with events with components)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:00
S30	8	(template near2 component) and (user with select\$3 with events with components)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:01

EAST Search History

S31	56	(template near2 component) and (list\$3 with (method behavior event) with component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:02
S32	9	(template near2 component) and (list\$3 near (method behavior event) with component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:15
S33	2	(template near2 component) and onLoad	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:13
S34	35	(template near2 component) and (component near events)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:13
S35	27	(template near2 control) and (list\$3 near (method behavior event) with control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:16
S36	28	(user with defin\$5 near2 control) and (list\$3 near (method behavior event) with control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:17
S37	263	(user with (defin\$5 configur\$5) with component with propert\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:17
S38	93	S37 and ("717".clas. "345".clas. "715".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:21

EAST Search History

S39	104831	("717".clas. "345".clas. "715".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:21
S40	40	S39 and (custom\$7 near2 component) and (add\$3 with remov\$3 with (properties events methods))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:25
S41	5	S39 and (custom\$7 near2 component) and (event adj list\$3) with component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:26
S42	19	S39 and (custom\$7 near2 component) and (event near2 list\$3) with component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:29
S43	20	S39 and (custom\$7 near2 component) and (property near2 list\$3) with component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:30
S44	9	S39 and (custom\$7 near2 component) and (display\$3 with available with (events propt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:31
S45	7	(custom\$7 near2 component) and (permitted with (events interface propt\$3) with component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:32
S46	14	(custom\$7 near2 component) and (usable with (events interface propt\$3) with component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:33

EAST Search History

S47	291	(custom\$7 near2 component) and (available with (events interface propert\$3) with component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:33
S48	69	S47 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:42
S49	351	((methods properties events) with selected with component with available)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:44
S50	0	S49 and onclick	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:43
S51	0	S49 and (onclick onload)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:43
S52	38	S49 and (selected adj component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:43
S53	1365	((methods properties events) with selected with component with associat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:44
S54	35	((methods properties events) with selected with component with associat\$3 with list\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:51

EAST Search History

S55	1	(component with usable with events) and (customiz\$5 with component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:52
S56	90	(component with usable with events)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:54
S57	1449	(component with usable with (methods properties))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:54
S58	17	(component with usable with (methods properties)) and (customiz\$5 with component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:58
S59	21	(customiz\$5 with component) and (unused with events)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 18:59
S60	1	(customiz\$5 with component) and (usable near2 events)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 19:02
S61	64	(component with permitted with events)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 19:02
S62	5	S61 and (custom\$7 near2 component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 19:02

EAST Search History

S63	2	((used near2 events) with list\$3) and ((un\$1used near2 events) with list\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:15
S64	27	(used near2 events) and (un\$1used near2 events) and component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:17
S65	104	(un\$1used near2 events) and component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:19
S66	33	(user with assign\$4 with events with component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:31
S67	1163	(user with customiz\$4 with component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:31
S68	555	S67 and visual\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:31
S69	36	S68 and toolkit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:43
S70	126	(select\$3 with component with applicable with (event propert\$3 method))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:55

EAST Search History

S71	97	component with style with file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:55
S72	37	S71 and (custom\$7 with component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:56